



SLATER
SAFETY

SAFETY FOOTWEAR
CATALOGUE 2021



CONTENTS:

- 1 Who are Slater Safety?
- 2 Feet Facts
- 3 ManPack Portal
- 4 Foot Illnesses
- 5 Footwear Sizing Guide + Maintenance
- 6 FootStopService
- 7-8 Footwear + Sievi Icons Guide
- 9-11 Ladies Footwear
- 12-13 Ladies Executive
- 14 Mens / Unisex Footwear
- 15 Uvex
- 16 Orbit + Grisport
- 17-21 Rodo
- 22 DEWALT
- 23-26 Cofra
- 27-28 Sievi
- 29-30 Himalayan
- 31-32 Lavoro
- 33 Jalas
- 34 Steel Blue
- 35-36 Giasco
- 37-38 V12w
- 39-40 Rockfall
- 41 UPower
- 42 Dr Martens
- 43 JCB
- 44 Apache
- 45 Ecos
- 46 LeMaitre
- 47 Riggers
- 48 Cold Store/Foundry+Welding Protection
- 49 Chemical/Electrical/Welding Protection
- 50 Metatarsal Protection
- 51-52 Wellingtons
- 53 Waders
- 54 Food Safe
- 55-56 Mens Executive
- 57-60 Accessories
- 61-62 The Complete Range / Returns Policy
- 63 Meet The Team

WHO ARE SLATER SAFETY?

OUR MISSION

"We provide solutions that ensure your employees stay safe and go home in the same health that they arrived in"

Are you up-to-date and getting all the help you need to keep your employees safe?

Did you know...

- **New** regulations mean pay-out claims from workplace accidents are at an all time high?
- **New** certification methods mean that some PPE is now rated differently and products are no longer certified as suitable for your current working needs?

Don't get caught out! In today's changing world you need honest unbiased advice to guide you in making the best choices for the safety, health and compliance of your employees. Choosing the **correct footwear** can have a huge impact on your employee wellbeing and productivity and could save you from a potentially costly claim!

Slater Safety's quality footwear and PPE range, along with honest advice means you have all the help and support you require, giving you the peace of mind you need about your workforce. We have been established in the supply of PPE to the industry for more than 30 years, built up on trust, in-depth product knowledge and a culture of continuous improvement.

We will work hard to build a strong working relationship with you, providing consistency, quality, and service with a willing 'can-do' approach to your needs. This is supported by our easy-to-use systems that will provide you with the ultimate control and management of all PPE spend.

To enjoy these benefits and the latest technology in the vast world of 'keeping safe', please contact us. Your safety is our priority.

T: 01772 691000 | E: sales@slatersafety.co.uk

CORRECT FOOTWEAR. IT'S AN INVESTMENT NOT AN EXPENSE.




JON SLATER
Managing Director



YOU WALK **115,000** MILES
IN YOUR LIFE TIME...

DO IT IN COMFORTABLE FOOTWEAR

You need supportive, durable safety footwear that's fit for purpose. We supply safety footwear that protects and performs in equal measure. Using our industry expertise we have created a footwear range that compliments the strong mechanical structure of your feet.



YOUR FOOT CONTAINS
26 BONES, **33** JOINTS,
107 LIGAMENTS AND
19 MUSCLES...

IT MAKES SENSE TO PROTECT THEM

Common injuries are easily avoidable with the correct footwear. We recommend a stable and hard working safety boot that prevents complaints, claims and fines by cushioning and protecting the sole, ankle and toes. Comfortable footwear improves staff wellbeing and productivity, from reducing common sprains to preventing leg, pelvis and upper body trauma. Protect your feet with well-made and regulated safety boots that do their job.

MANPACK ONLINE PORTAL

Slater Safety are proud to be able to offer customers a 3-part comprehensive online ordering portal. The system is free, easy to use, navigate and will simplify and revolutionise the ordering process within any organisation. Our online portal guarantees the **right workwear** with the **right branding** at the **right price** and most importantly, delivered to the **right location**.




LOGIN ONLINE



Log in to your bespoke company portal

ADD TO BASKET



Select employee. Choose required items with size and quantity

CONFIRM ORDER



View basket, enter PO number and delivery address.

DELIVERY




The package is dispatched and delivered to the requested address


MANPACK PROCESS

YOU WALK 115,000 MILES IN YOUR LIFETIME PROTECTIVE FOOTWEAR PREVENTS INJURIES


If you walk and stand on hard floors, your feet easily become overburdened and if wearing incorrectly fitted footwear the following conditions can occur:

- 


PLANTAR FASCIITIS

Is the most common cause of heel pain. It is the inflammation caused by excessive stretching of the plantar fascia, the broad band of fibrous tissue which runs along the bottom surface of the foot, attaching at the bottom of the heel bone and extending to the forefoot. With Plantar Fasciitis, the bottom of your foot usually hurts near the inside, where the heel and arch meet. The pain is often acute either first thing in the morning or after a long rest, because while resting the plantar fascia contracts back to its original shape. The pain often subsides as the day progresses and the plantar fascia continues to be stretched.
- 


HEEL SPURS

The heel bone is the largest bone in the foot and absorbs the most amount of shock and pressure. A heel spur is an abnormal growth of the heel bone. Bone spurs form when the plantar fascia pulls away from the heel area (a condition called plantar fasciitis), causing a bony protrusion, or heel spur to develop. While more people assume the heel spur itself is the cause of pain, it's not. The plantar fascia tissue pulling away from the heel bone is the actual cause of pain, especially while standing or walking.
- 

CALLUSES

Calluses are unattractive and sometimes painful patches of thick skin on your feet that form when dead skin cells harden and thicken over an area of the foot. This build up is our body's defence against excessive pressure and friction. Eliminating the sources of the pressure is the first cause of actions. This is often caused by: excessive pressure or friction on a specific area of the foot, wearing high-heeled shoes, wearing footwear that's too small, flat feet, high arched feet, excess body weight and abnormal walking motion.
- 

ACHILLES TENDONITIS

Achilles tendonitis is an injury caused by overuse of the large tendon that connects the calf muscles to the back of the heel bone. When overused, the Achilles tendon can get irritated, painful, stiff and swollen. Although it is the largest and strongest tendon in the body, it is also the most injury-prone due to its limited blood supply and the enormous stress placed upon it. This condition is largely caused by: excessive rolling of the foot when walking, flat feet, short Achilles tendon, tight calf muscles, heel bone deformity, improperly fitted shoes, chronic overuse and direct trauma or injury.
- 

HAMMER TOES

A hammer toe is a toe that is contracted at the PIP joint and can lead to severe pressure and pain. Ligaments and tendons that have tightened cause the toe's joints to curl downwards. Hammer toes may occur in any toe, except the big toe. There are 2 types: flexible and rigid. In a flexible hammer toe, the joint has the ability to move. This type of hammer toe can be straightened manually. With rigid joints, movement is limited and can be extremely painful. This sometimes causes foot movement to become restricted can lead to extra stress on the ball of the foot.

FOOTWEAR SIZING GUIDE

UK	EU
2	35
3	36
4	37
5	38
6	39
6.5	40
7	41
8	42
9	43
10	44
10.5	45
11	46
12	47
13	48
14	49
15	50

MAINTENANCE:

With all footwear it is essential that you clean and maintain your footwear regularly. This ensures that the footwear achieves optimum performance of properties built into the footwear at the time of manufacturing. Here's a step-by-step guide to giving your footwear what it needs:

LEATHER:


- 1 Ensure that any large chunks of dirt are removed.
- 2 Apply leather cleaner to a clean cloth and gently rub this into your shoe to remove any stains.
- 3 Wipe the shoes down with a second dry cloth and leave to dry naturally.

For added protection, rub mink oil into the leather to help preserve them. Rub the shoes again with another clean cloth to remove any excess mink oil. You can then apply a weather-resistant product, in the form of gel or spray, to the leather and allow the shoes to dry.

SUEDE LEATHER:

- 1 Run a dry suede brush over your footwear, paying special attention to areas with dirt on.
- 2 Pour a small amount of baking soda over oil stains or wet stains, then leave overnight to absorb powder.
- 3 In the morning, brush the powder off with your suede brush and ensure that no powder is left remaining.
- 4 Finally, spray your footwear with a weather resistant spray specifically for suede.

FOOTSTOPSERVICE



The Jalas FootStopService (FSS) foot scanner prevents injuries that can arise if the foot is strained abnormally. This means that FSS functions as a form of preventive health care. It does not, however, replace medical treatment for injuries that have already occurred.

It is fast and easy to analyse your feet with the help of the FSS. You don't even need to remove your socks or stockings. In just a few seconds, the scanner detects the dimensions of your feet, the arch and the plantar pressure profile of your foot. You get the results immediately. On the display, you will see how and where your feet are being subjected to pressure and load. You will also see if you have a low, medium or high arch.




















JALAS® anatomical insoles solve many problems – but not all. If you have significant problems with your feet, specifically moulded orthoses are a must.

Investing in the right shoes with the right insoles is an investment for your future.



FOOTWEAR GUIDE

All our footwear is designed with both comfort and durability in mind. With a range of different features ensuring we have powerful protection against a wide range of environments. All Slater Safety footwear conforms to EN ISO 20345 providing 200 joules of toe protection, unless the style is marked as 'non-safety'.

	Composite toe cap and mid sole		Composite mid sole
	Steel toe cap and mid sole		Steel mid sole
	Aluminium toe cap and mid sole		Aluminium mid sole
	Composite toe cap		Heat Resistant
	Steel toe cap		Shock absorbent
	Aluminium toe cap		Water Repellent
	Anti static		Metal free
	Puncture resistant		Slip resistant
	Waterproof		Wide Fit
	Unisex Some Male styles shown as Unisex may come up a little larger than standard Ladies sizing if ordered for a Lady		

- SB:** Basic safety shoes with a toe cap
- S1:** Safety shoes for professional use with toecaps designed to give protection against impact when tested at an energy level of 200 joules. Antistatic properties, energy absorption of seat region, closed heel and resistance to fuel oil.
- S1-P:** As S1 plus anti-penetration mid sole
- S2:** As S1 plus water resistance and water absorption of upper material
- S3:** As S2 plus anti-penetration mid sole and cleated out sole
- S4:** As S1 plus an entirely moulded polymer/rubber upper making them leak-proof
- SRC:** Tested on ceramic tile wetted with sodium lauryl sulphate, and tested on steel with glycerol.
- SRA:** Tested on ceramic tile wetted with sodium lauryl sulphate (a diluted soap solution)
- SRB:** Tested on steel with glycerol
- HRO:** Tested to hot contact up to 300°C

GUIDE TO SIEVI PRODUCT ICONS

SEE PAGE 27-28 FOR SIEVI FOOTWEAR



SIEVI FLEXENERGY – FLEXIBILITY AT EVERY STEP

Sievi FlexEnergy is a flexible component integrated in the entire heel part of the shoe. This provides maximum shock absorption and excellent comfort. The component absorbs kinetic energy, with over 55% of the energy returned to the wearer. The component is made of BASF's TPU Infinergy®, which is the first expanded thermoplastic polyurethane in the world.



Primaloft® – the best insulation in its category. The footwear is equipped with Primaloft® thermal insulation made with 90 per cent recycled materials. Waterproof, breathable and extremely light, Primaloft® thermal insulation keeps your feet dry in any conditions.



Dry feet with 3D-dry®
3D-dry lining, developed by Sievi, transfers moisture from the foot to the second layer of the lining and further through the upper and away from the shoe thus keeping your feet drier and more comfortable.



BOA® BOA® Fit System – Fit to perform.
Dial in your perfect fit for custom comfort that's consistent all day. The micro-adjustable Boa® Fit System is fast, easy, and built to perform so you can always get the job done.



Toecap, aluminium
The toecap protects toes from falling objects and compression. Meets the requirements of the EN ISO 20345:2011 standard: shock resistance is 200 J and resistance to compression 15000 N. Aluminium toecaps are 50% lighter than traditional steel toecaps.



Penetration resistant midsole, steel
The steel midsole prevents sharp objects from penetrating through the sole. Meets the requirements of the EN ISO 20345:2011 standard: resistance to nail penetration is 1100 N.



Toecap, steel
The toecap protects toes from falling objects and compression. Meets the requirements of the EN ISO 20345:2011 standard: shock resistance is 200 J and resistance to compression 15000 N.



Toecap, composite
The toecap protects toes from falling objects and compression. Meets the requirements of the EN ISO 20345:2011 standard: shock resistance is 200 J and resistance to compression 15000 N. Toecap made of composite material is completely metal free and insulates well against heat and cold.



Penetration resistant midsole, composite
The penetration resistance fulfills the same EN ISO 20345:2011 requirements as traditional midsole made of steel. Steel, however, gives greater penetration resistance, which is why Sievi recommends a steel midsole for the more demanding conditions (e.g. construction industry).



Shock-absorbing heel – A light step day after day. The shock-absorbing heel area protects the feet and the skeletal system against stress. The product meets the requirements of EN ISO 20345:2011 and EN ISO 20347:2012: the shock absorption capacity of the footwear is at least 20 J. The cushioning effect is guaranteed by the use of FlexStep® sole material in all Sievi footwear.



Sole material PU
The footwear sole is made of FlexStep® material. This single density microporous structured polyurethane sole offers very high slip-resistance and flexibility providing excellent shock absorption. Heat resistant up to 120 °C.



Sole material PU/TPU
The double density sole consists of polyurethane and elastic thermoplastic polyurethane. The outsole is wear resistant and the mid-layer is of shock absorbing FlexStep® material. Heat resistant up to 120 °C.



Sole material PU/PU
The footwear sole is a very durable double density polyurethane sole, where the mid-layer is of shock absorbing FlexStep® material. Heat resistant up to 120 °C.



Memory foam ankle protection
The ankle part of the footwear is protected by viscoelastic memory foam which moulds itself to the shape of the wearer's foot, providing personalised support and softness. Memory foam supports and protects the ankle from shocks.



Resistance to oil and many chemicals
Sievi's sole resists oil and many chemicals. The oil resistance of Sievi footwear meets the requirements of the EN ISO 20345:2011 standard.



Water repellent
The upper material used in this footwear is water repellent. Its water resistance meets the requirements of the EN ISO 20345:2011 standard.



Warm lining
Footwear displaying this symbol can be worn in cold environments. The material keeping the cold out is either lamb's wool or artificial fur. Additionally, some styles are lined with Primaloft® thermal insulation.



Zipper
Models marked with this symbol have a useful zipper.



Antistatic
Footwear designed with antistatic features discharges the body's static electricity up to tolerances of 100 kΩ - 1000 MΩ.



ESD
Through its sole construction, ESD footwear provides a safe and controlled method of discharging the body's static electricity. The tolerances for the resistance of Sievi footwear are stricter (100 kΩ-35 MΩ) than for ordinary antistatic footwear (IEC 61340-5-1). Wearing ESD footwear can help you avoid damage to sensitive electronic equipment.



DUAL insole
The Sievi DUAL Comfort insole has shock absorbing cushions made of PORON® material which adds comfort to your feet and back.



ALU insole
Sievi ALU insole features a heat-insulating aluminium layer. The aluminium foil of the insole reflects the cold out and the heat inward.

LADIES FOOTWEAR

Branded, Boots, Trainers, Executive



ELORA S3 SRC
ELORA: B55.FC9536

- Nubuck and mesh upper
 - Breathable textile lining
 - Padded tongue and collar for extra comfort
 - Metal free toe cap and midsole
- EN20345 S3 SRC**
SIZES: 3-8



ALICE S3 SRC
ALICE B40.8590

- Water resistant nubuck upper
 - Sany-Dry polyester fabric lining
 - Cofra-Soft scented, holed footbed
 - Protective toe cap and midsole
- EN20345 S3 SRC**
SIZES: 3-7



CROSS S1-P HRO SRC
CROSS: B76.4302

- Leather / mesh outer
 - Protective toe cap and midsole
 - Sole resistant to 300 degrees
 - Slip resistant outsole
- EN20345 S1-P HRO SRC**
SIZES: 3-8



LIBERTINE HIGH/LOW S3 SRC
LIBERTINE HIGH (BOOT): B48.PB202
LIBERTINE LOW (SHOE): B48.PB203

- Breathable full grain soft leather upper
 - Moisture wicking breathable inner lining
 - Removable washable footbed
 - Lightweight dual density parabolic PU/PU sole unit - resistant to 120 degrees
- EN20345 S3 SRC**
SIZES: 3-8




ELASTIC LACES FOR QUICK ADJUSTMENT



UVEX 1 LADIES SHOE S2 SRC
UVEX 1 LADIES SHOE: B04.85628

- Particularly lightweight shoe with metal-free toe cap
 - Width 11
 - ESD certified: bleeder resistor < 35 MO
 - Non-slip outsole, oil and petrol resistant, water-resistant upper
 - Breathable microvelour upper (suitable for people allergic to chrome)
 - Elastic and normal laces provided
- EN20345 S2 SRC**
SIZES: 2-9



LADIES



NEW

LADIES ONYX BLACK S3 HRO WR SRC

BLACK: B15.VX950A

- 100% non-metallic, with protective toecap and midsole
- Comfortable and lightweight
- Activ-Tex® waterproof membrane and shock absorbing solid nitrile rubber outsole
- Made on a womens shoe mould making it more slender and better fitting

EN20345 S3 HRO WR SRC

SIZES: 3-8



NEW

LADIES ONYX HONEY S3 HRO WR SRC

BLACK: B15.VX950C

- 100% non-metallic, with protective toecap and midsole
- Comfortable and lightweight
- Activ-Tex® waterproof membrane and shock absorbing solid nitrile rubber outsole
- Made on a womens shoe mould making it more slender and better fitting

EN20345 S3 HRO WR SRC

SIZES: 3-8



NEW


LADIES MADISON SHOE

MADISON SHOE: B50.SF88

- Steel toecap and protective midsole
- Water resistant leather upper with high padded ankle support
- Dual density PU shock absorbent sole
- Fully moulded and removable insole
- Wide fitting

EN20345 S3 SRC

SIZES 2-8



NEW


LADIES MADISON BOOT

MADISON BOOT: B50.SF89

- Steel toecap and protective midsole
- Water resistant leather upper with high padded ankle support
- Dual density PU shock absorbent sole
- Fully moulded and removable insole
- Wide fitting

EN20345 S3 SRC

SIZES 2-8



NEW

LADIES RUBY BOOT S3 HRO SRC

RUBY: B15.RF951

- 100% non-metallic, with protective toecap and midsole
- Comfortable and lightweight
- Shock absorbing EVA nitrile rubber outsole
- Made on a womens shoe mould making it more slender and better fitting

EN20345 S3 HRO SRC

SIZES: 3-8



NEW

INTREPID IGS S3 SRC HRO LADIES HIKER

B20.V1720

- Optimum fit to the female footshape
- Soft padded ergonomic collar
- Energyse insole for superior shock absorbance and full foot cushioning
- Ankle impact protection, a tough scuff cap and a bellows tongue. Metal free.

EN20345 S3 AN HRO SRC

SIZES 2-8



NEW

BIANCA S3 SRC

BIANCA: B65.1118.10

- Optimum fit to the female footshape
- Elegant heel if you feel more comfortable with a high heeled shoe
- Protective midsole
- Steel toe cap
- Full grain leather uppder with red leather lining

EN20345 S3 AN HRO SRC

SIZES 3-8



STRUGGLING TO FIND THE STYLE FOR YOU?

Don't forget to check for our many unisex styles throughout the catalogue.

Look out for this symbol:



LADIES EXECUTIVE



BALLET PUMP S1-P SRC
BALLET: B76.2213

- Ladies office safety footwear
- Black leather outer
- Heat resistant to 200 degrees
- Protective toe cap and midsole
- Slip resistant sole

EN20345 S1-P SRC
SIZES: 3-9



TOPAZ S3 SRC
TOPAZ: B15.VX530

- Designed for safety and comfort
- Full grain black leather upper
- Protective toe cap and midsole
- Dual density PU outsole
- Specialist ladies fitting

EN20345 S3 SRC
SIZES: 2-8



RIFF CLOG SB ESD SRC
RIFF: B80.52933

- Easy-to-wear safety clogs
- Durable, water resistant upper
- Flexible heel straps
- Flexible anti-slip soles
- Resistant to oils and chemicals

EN20345 SB SRC A E FO
SIZES: 3-8



JULIA S2
JULIA: B40.8580

- Water repellent full grain leather
- Breathable and tough lining
- Half leather insole with padded heel
- Ultralight compound sole unit

EN20345 S2
SIZES: 2-8



MENS AND UNISEX SAFETY FOOTWEAR

NEW STYLES



1 X-TENDED SUPPORT SHOE S3 SRC
1 X-TENDED SHOE: B04.85162

- Width 11
- ESD certified: bleeder resistor < 35 MO
- Non-slip outsole, penetration-resistant, metal-free midsole, oil and petrol resistant, water-resistant upper
- Lightweight, metal-free toe cap
- Breathable microvelour upper (suitable for people allergic to chrome)

EN20345 S3 SRC
SIZES: 3-17



1 X-TENDED SUPPORT BOOT S3 SRC
1 X-TENDED BOOT: B04.85172

- Width 11
- ESD certified: bleeder resistor < 35 MO
- Non-slip outsole, penetration-resistant, metal-free midsole, oil and petrol resistant, water-resistant upper
- Lightweight, metal-free toe cap
- Breathable microvelour upper (suitable for people allergic to chrome)

EN20345 S3 SRC
SIZES: 3-17



NEW

HERCULES 230 SHOE S3 SRC
HERCULES 230 SHOE: B13.230

- Comfort collar
- Anti-static
- Water resistant leather upper
- Shock absorbing dual density polyurethane sole
- Steel toe cap and midsole

EN20345 S3 SRC
SIZES: 3-13



NEW

HERCULES 950 BOOT S3 SRC
HERCULES 950 BOOT: B13.950

- Comfort collar
- Anti-static
- Water resistant leather upper
- Shock absorbing dual density polyurethane sole
- Steel toe cap and midsole

EN20345 S3 SRC
SIZES: 3-13



2 TREND BOOT / SHOE S3 SRC
2 TREND BOOT: B04.69352
2 TREND SHOE: B04.69342

- Width 11
- With volume resistance under 35 megaohms, the safety shoe meets ESD specifications
- Outer shoe material - full-grain smooth leather
- Steel toecap and penetration-resistant steel midsole
- Dual-density PU sole with excellent slip resistance
- Anti-twist heel cap, protection from slips and strains

EN20345 S3 SRC
SIZES: 3.5-17



**EXTRA
WIDE FIT**



QUATRO PRO BOOT S3 SRC
QUATRO: B04.84012

- Sturdy boot, extra wide fit
- Anti-twist heel cap to prevent ankle twisting
- Non-slip outsole, penetration-resistant steel midsole, oil and petrol resistant, water-resistant upper
- Water-repellent upper for tough outside jobs
- Particularly soft midsole and solid PUR outsole - guaranteed excellent comfort

EN20345 S3 SRC
SIZES: 5-15



THE STYLES BELOW ARE NON-SAFETY



JAVA TREKKING NON-SAFETY SHOE
JAVA: B91.CMG708

- Comfort of a training shoe, but packs the power and durability of a walking boot
- Upper made from suede/cordura
- Gritex breathable/water resistant lined
- Deep cleated vibram rubber sole
- Five fabric loop speed lacing
- Padded ankle collar for wearer comfort
- Lightweight trekking collection

SIZES: 3-8



DARTMOOR WALKING NON-SAFETY SHOE
DARTMOOR: B91.CMG477

- Won 'best value for money' walking shoe by 'Which?'
- Waxed leather upper
- Spotex water resistant/ breathable lined
- Deep cleated vibram rubber sole
- Five hook eyelet lace up
- Padded textile collar for wearer comfort
- Backpacking collection

SIZES: 3-8






METEOR / OZONE S3 SRC

METEOR (BOOT): B50.BX370
OZONE (SHOE): B50.BX380

- Water resistant action Nubuck upper
- Hard wearing cushioned heel to reduce foot fatigue
- Wide fitting for added comfort
- Metal free toe cap and midsole
- Dual density PU sole

EN20345 S3 SRC

Sizes: 3-13




TREKKER S3

TREKKER: B50.BX651

- Smooth water resistant leather upper
- Padded tongue & collar
- Metal free toe cap and midsole
- Dual density PU sole

EN20345 S3 SRC

SIZES: 3-13



PIONEER S3 BOOT

PIONEER BOOT: B50.BX631

- Smooth water resistant leather upper
- Padded tongue and collar
- Full foot bed
- Metal free toe cap and midsole
- Dual density PU sole

EN20345 S3 SRC

SIZES: 3-13



PIONEER S3 SHOE

PIONEER SHOE: B50.BX6111

- Smooth water resistant leather upper
- Padded tongue and collar
- Full foot bed
- Metal free toe cap and midsole
- Dual density PU sole

EN20345 S3 SRC

SIZES: 3-13




UTILITY S3 HRO

UTILITY: B50.BX750

- 100% waterproof
- Heavy duty bump cap
- Energy absorbing heel
- Rigid instep area
- Metal free toe cap and midsole

EN20345 S3 WR HRO SRC

SIZES: 6-13



CHAMPION S3 SRC

CHAMPION: B50.BX350

- Smooth water resistant leather upper
- Padded tongue & collar
- Metal free toe cap and midsole
- Dual density PU sole

EN20345 S3 SRC

SIZES: 3-13



DEALER BOOT S3 SRC

DEALER: B50.BX760

- Smooth water resistant leather upper
- Full foot bed
- Metal free toe cap and midsole
- Dual density PU sole

EN20345 S3 SRC

SIZES: 3-13



NEW

LUNAR BOOT S3 SRC

LUNAR: B50.SF59

- Steel toe cap and protective midsole
- Scuff cap for enhanced durability
- Water-resistant leather upper, padded ankle support
- Energy absorbing cushioned heel - reduce foot fatigue
- Double density PU shock absorbent, anti-static and fuel oil resistant sole
- Fully moulded and removable insole
- Wide fitting for added comfort

EN20345 S3 SRC

SIZES: 3-13



PROTECTING THOSE WHO PROTECT US

PLEASE NOTE STYLES COMMANDER, MARSHAL, OFFICER, RANGER AND ENSIGN
DO NOT HAVE A PROTECTIVE TOE CAP.



NEW
STYLES

COMMANDER BOOT UNIFORM NON-SAFETY

B50.OF04
EN20347 03 WR FO HRO SRC
SIZES 6-12 (3-13 Available soon)



Hexagrip-4 star
HSL rated sole for
ultrahigh grip

Composite
protective
midsole

Waterproof
leather upper

Hard-wearing PU/
rubber sole that is
anti-static, fuel oil
resistant and heat
resistant to 300°C



MARSHAL HIKER - UNIFORM NON-SAFETY

B50.OF02
• Composite protective midsole
• Hard-wearing PU/rubber sole that is anti-static, fuel oil resistant and heat resistant to 300°C
• Water-resistant leather upper
• Hexagrip-4 star HSL rated sole for ultrahigh grip
EN20347 03 FO HRO SRC
SIZES: 6-12 (3-13 Available soon)



OFFICER SHOE - UNIFORM NON-SAFETY

B50.OF01
• Hard-wearing PU/rubber sole that is anti-static, fuel oil resistant and heat resistant to 300°C
• Composite protective midsole
• Water-resistant leather upper
• Hexagrip-4 star HSL rated sole for ultrahigh grip
EN20347 03 FO HRO SRC
SIZES: 6-12 (3-13 Available soon)



RANGER HIKER - UNIFORM NON-SAFETY

B50.OF03
• Hard-wearing PU/rubber sole that is anti-static, fuel oil resistant and heat resistant to 300°C
• Composite protective midsole
• Side zip for easy access/removal
• Waterproof leather upper
• Hexagrip-4 star HSL rated sole for ultrahigh grip
EN20347 03 WR FO HRO SRC
SIZES: 6-12 (3-13 Available soon)



ENSIGN TRAINER - UNIFORM NON-SAFETY

B50.OF05
• Hard-wearing PU/rubber sole that is anti-static, fuel oil resistant and heat resistant to 300°C
• Composite protective midsole
• Waterproof leather upper
• Hexagrip-4 star HSL rated sole for ultrahigh grip
EN20347 03 WR FO HRO SRC
SIZES: 6-12 (3-13 Available soon)



TROOPER SAFETY HIKER - UNIFORM SAFETY

B50.CF21
• Hard-wearing PU/rubber sole that is anti-static, fuel oil resistant and heat resistant to 300°C
• Composite protective midsole and toecap
• Side zip for easy access/removal
• Waterproof leather upper
• Hexagrip-4 star HSL rated sole for ultrahigh grip
EN20345 S3 WR HRO SRC
SIZES: 6-12 (3-13 Available soon)



EMERGENCY SERVICE BOOT - UNIFORM SAFETY

B50.CF20
• Hard-wearing PU/rubber sole that is anti-static, fuel oil resistant and heat resistant to 300°C
• Composite protective midsole and toe cap
• Side zip for easy access/removal
• Waterproof leather upper
• Hexagrip-4 star HSL rated sole for ultrahigh grip
EN20345 S3 WR HRO SRC
SIZES: 6-12 (3-13 Available soon)





OLYMPUS S3 WR HRO SRC
OLYMPUS: B50.CF17

- Lightweight safety boot
- Fully waterproof leather upper
- Fully moulded and removable insole
- Metal free toe cap and midsole
- Heat resistant outsole up to 300 degrees
- PU/rubber outer sole unit
- Wide fitting for extra all day comfort


EN20345 S3 WR HRO SRC
SIZES: 6-13



PENDLE S3 SRC
PENDLE: B50.CF14

- Water resistant leather upper
- Energy absorbing cushioned heel
- Kickplate on heel for extra durability
- Metal free toe cap and midsole
- Double density PU outer sole unit
- Wide fitting for extra all day comfort

EN20345 S3 SRC
SIZES: 3-13



VICTOR BOOT S3 WR HRO SRC
VICTOR: B50.SF85

- Steel toe cap and protective midsole for enhanced protection
- Side zip for easier access and removal
- Waterproof leather uppers
- PU/Rubber sole heat resistant to 300 degrees
- Fully moulded & removable insole
- Wide fitting

EN20345 S3 WR HRO SRC
SIZES: 6-13



TITANIUM BOOT S3 SRC S3
B28.9530

- Full grain wheat nubuck leather upper
- Waterproof and breathable Samsung membrane inner lining
- Padded tongue and collar for increased comfort
- Steel toe cap and mid sole for protection
- PU comfort insole
- TPU dual density sole

EN20345 S3 SRA
SIZES: 6 - 12



CUTTER TRAINER SB SRA
B28.9510

- Lightweight synthetic PU / mesh upper
- Padded tongue and collar for added comfort
- Steel toe cap protection with external scuff cap
- Anti bacterial, moisture wicking cushion insole
- EVA/rubber dual density sole

EN20345 SB SRA
SIZES: 6 - 12



LASER BOOT S1-P SRA
B28.9520

- Light, breathable synthetic leather/mesh upper
- Padded tongue and collar for added comfort
- Dual density anti bacterial, odour reducing insole
- Steel toe cap and midsole
- TPI heel support for protection
- PU / TPU lightweight injected sole

EN20345 S1-P SRA
SIZES: 6 - 12



SANY-DRY INTERNAL LINING: 100% polyamide fabric, ladder proof, breathable, absorbs and releases the moisture, abrasion resistant

COFRA-SOFT: Anatomic, punched footbed, made of scented, soft and comfortable polyurethane

MONTI S3 SRC

SAFETY FOOTWEAR
EN ISO 20345:2011



INNOVATIVE AND EXTREMELY STURDY FABRIC,
ABRASION RESISTANT, WATER REPELLENT

Techshell



STEAL / TECHNICAL S3 SRC

STEAL BOOT: B40.8795

TECHNICAL TRAINER: B40.8790

- Water resistant nubuck leather upper
- Breathable leather and 100% polyester internal
- PU15 footbed, made of scented shock absorbing polyurethane. moisture absorbing top layer
- Metal free APT PLATE midsole
- TPU toe cap protection
- Dual density polyurethane sole

EN20345 S3 SRC

SIZES: 6-12



ZATOPEK S3 SRC

ZATOPEK SHOE: B40.8450

- Water repellent full grain leather upper
- Sany-Dry 100% polyester fabric internal lining
- Cofra-Soft footbed - scented polyurethane
- Toe cap and APT PLATE midsole protection
- Polyurethane / TPU sole unit

EN20345 S3 SRC

SIZES: Zatopek: 2-13



YOUTH / MONTI S3 SRC

YOUTH BOOT: B40.8445

MONTI TRAINER: B40.8440

- Innovative and extremely sturdy fabric Techshell
- Sany-Dry 100% polyester fabric internal lining
- Cofra-Soft footbed - scented polyurethane
- Toe cap and APT PLATE midsole protection
- Polyurethane / TPU sole unit

EN20345 S3 SRC

SIZES: Monti: 2-13, Spinning 3-13



BLOCK / THROW S3 SRC

BLOCK BOOT: B40.8735

THROW TRAINER: B40.8730

- Water resistant nubuck leather upper
- Breathable leather and 100% polyester internal
- PU15 footbed, made of scented shock absorbing polyurethane. moisture absorbing top layer
- Metal free APT PLATE midsole
- TPU toe cap protection
- Dual density polyurethane sole

EN20345 S3 SRC

SIZES: 6-12





GREAT PRICE

ASCENT SAFETY BOOT S3 SRC
B40.TN210-000

- Upper in water repellent leather
 - Metal free
 - Fiberglass tip
 - 3 dimensional breathable moisture absorbing lining
 - Fit 10.5 / 11 Mondopoint
 - Antistatic and highly breathable footbed
- EN ISO 20345 S3 SRC**
SIZES: 5-13



TESTER S3 SRC
B40.78802-009

- Innovative and extremely sturdy fabric Techshell
 - Sany-Dry 100% polyester fabric internal lining
 - Cofra-Soft footbed - scented polyurethane
 - Toe cap and APT PLATE midsole protection
 - Polyurethane / TPU sole unit
- EN ISO 20345 S3 SRC**
SIZES: 2-13



BRATISLAV BLACK UK S3 CI SRC
B40.12760-000

- Water repellent full grain leather
 - Ecological fur, highly insulating, breathable, abrasion resistant lining
 - Cofra-Soft-Cold footbed - antistatic, anatomic, soft and comfortable, impact absorption, covered with fleece lined devised to give cold insulation
 - Toe cap and APT PLATE midsole protection
 - Polyurethane / TPU sole unit
- EN ISO 20345 S3 CI SRC**
SIZES: 5-13



SPITROC UK S3 WR SRC
B40.22070-006


- Water repellent full grain leather & nylon CORDURA®
 - COFRA-TEX WATERPROOF UNIVERSAL membrane with PROOF LINING construction system
 - High bearing capacity footbed, thermoformed, anatomic, punched and coated with highly breathable fabric. Antistatic
 - Steel toe cap and APT PLATE midsole protection
 - Dual density polyurethane sole unit
- EN ISO 20345 S3 CI SRC**
SIZES: 6-13



THUNDER BOOT / RAINPROOF SHOE ESD S3 SRC
THUNDER: B40.73150-000 | RAINPROOF: B40.73082-006



ECO FRIENDLY



9x50cl plastic bottles are recycled to produce one pair Sz 8



- Water repellent TEXPET 100% PET ecological fabric upper
 - Sany-Dry 100% polyester fabric internal lining
 - ECO-TECH ESD, POLY-GREEN footbed - scented polyurethane
 - Aluminium toe cap and APT PLATE midsole protection
 - Polyurethane / TPU sole unit
 - Laces and tongue labels are made of 100% recycled yarns deriving from plastic bottles. 100% Recycled paper and carton packaging
- EN ISO 20345 ESD S3 SRC**
SIZES: 6-13 (RAINPROOF 2 - 13 UNISEX)



DRUMSTEP S3 ESD SRC
DRUMSTEP TRAINER: B40.8480

- Innovative and extremely study fabric Techshell
 - Sany-Dry 100% polyester fabric internal lining
 - Cofra-Soft footbed - scented polyurethane
 - Toe cap and APT PLATE midsole protection
 - Polyurethane / TPU sole unit
- EN20345 S3 ESD SRC**
SIZES: 3-15



GAUGUIN BOOT S3 WE CI SRC
GAUGUIN: B40.8925

- Water repellent full grain leather upper
 - Gore-Tex Performance Comfort Footwear lining
 - EVANIT footbed, high bearing capacity
 - Cold temperatures protection
 - Polyurethane/TPU sole unit
 - Metal free toe cap and APT PLATE midsole
 - Kick off lug and TPU toe cap protection
- EN20345 S3 WR CI SRC**
SIZES: 3-13





Many people experience problems with safety shoes in the workplace. This could be as a result of a health conditions such as diabetes, bunions, skin allergies, plantar fasciitis or as a result of a past illnesses, injuries or accidents such as broken toes or metatarsal.

Sievi works in close co-operation with Slater Safety, both well established family owned businesses, offering a great foot scanning service. Individual staff consultations can be arranged conveniently at your own workplace, where trained Sievi staff are able to recommend the best possible products to help wearers suffering from various health conditions in the context of your particular work environment eg extreme high or low temperature environments, clean rooms, wet areas, areas with oil and chemicals or environments where only the toughest possible safety boots are effective. By scanning the individual's feet we are able to suggest optimal sizing, including wide and extra wide fitting products as well as providing insoles with extra arch support for those who need it.

"Slaters and Sievi have helped our colleagues remain safe in their work environment, whilst maintaining comfort and standards. Their service has been second-to-none, personal, friendly, yet professional with great lead times and great products!"

Health, Safety & environmental Business Partner
Booths - World Class Produce Supermarket

**FLEX
ENERGY**

SIEVI FLEXENERGY –
FLEXIBILITY AT EVERY STEP

Sievi FlexEnergy is a flexible component integrated in the entire heel part of the shoe. This provides maximum shock absorption and excellent comfort. The component absorbs kinetic energy, with over 55% of the energy returned to the wearer. The component is made of BASF's TPU Infinergy®, which is the first expanded thermoplastic polyurethane in the world.




SEE PAGE 6 FOR SEIVI FULL ICON GUIDE



RACER ROLLER S3 SRC

RACER: B80.52343

The Sievi Racer has the most advanced shock-absorbing heel in the world, thanks to the Sievi FlexEnergy component. The component stores kinetic energy and gives a greater than 55% energy return. The sporty and lightweight structure, breathable and anatomic shape that supports the feet, together with the Boa® tightening mechanism that provides more comfort for the wearer make the Racer Roller the ultimate safety shoe.



SIZES 2-14
EN ISO 20345 S3 SRC



SIEVI ROLLER + S3

ROLLER: B80.52156

Sievi Roller features a patented easy-to-use and durable Boa® Fit System. The Boa® mechanism provides more comfort for the wearer: a turn of the dial and your shoes fit perfectly. The shoes are also fast and easy to put on and take off: the laces loosen by simply lifting the dial.



SIZES 5-13
EN ISO 20345 S3 SRC



PLANAR 1 S3

PLANAR: B80.52173

Metal-free toecaps and penetration-resistant midsoles. Water-resistant, breathable and ultra-light PrimaLoft® insulation keeps the feet warm. Memory Foam ankle protection helps prevent injuries. Safety-enhancing reflectors. Zipper for easy use.



SIZES 2.5-14
EN ISO 20345 S3 SRC



STAR POLAR XL + S3

POLAR: B80.52764

Metal-free toecaps and penetration-resistant midsoles. Water-resistant, breathable and ultra-light PrimaLoft® insulation keeps the feet warm. Memory Foam ankle protection helps prevent injuries. Safety-enhancing reflectors. Zipper for easy use.



SIZES 5-13
EN ISO 20345 S3 SRC CI



NEW STYLES

Himalayan® are delighted to be partnering with Slater Safety as an approved and trusted supply partner for the Himalayan® #GOwork collection of **incredibly lightweight metal free** safety footwear. With a wide range of sizing for both men and women the Himalayan® #GOwork range is a perfect fit for many industry sectors – for more information go to www.himalayanworkwear.com



URBAN NAVY S3 SRC HRO B76.4410

- Closed seat region (fully enclosed heel)
- Energy absorption of seat region, plus water penetration and water absorption resistance
- Cleated outsole
- Penetration resistance 1100 Newtons
- Anti-Static and Heat Resistant to 300°C
- Composite toecap and midsole - Metal free

SIZES 3-13

EN ISO 20345 S3 SRC HRO



STORM BLACK HI S3 SRC HRO B76.5210

- Closed seat region (fully enclosed heel)
- Energy absorption of seat region, plus water penetration and water absorption resistance
- Cleated outsole
- Penetration resistance 1100 Newtons
- Anti-Static, Waterproof and Heat Resistant to 300°C
- Composite toecap and midsole - Metal free

SIZES 6-13

EN ISO 20345 S3 SRC HRO



BOUNCE BLACK S1P SRC HRO B76.4314

- Closed seat region (fully enclosed heel)
- Energy absorption of seat region
- Penetration resistance : 1100 Newtons
- AntiStatic, Oil Resistant
- Heat Resistant to 300°C
- Composite toecap and midsole
- Metal free

SIZES 3-12

EN ISO 20345 S1P SRC HRO



FLYKNIT BLACK S1P SRC B76.4341

- Closed seat region (fully enclosed heel)
- Energy absorption of seat region
- Penetration resistance : 1100 Newtons
- AntiStatic, Oil Resistant
- Heat Resistant to 200°C
- Composite toecap and midsole
- Metal free

SIZES 3-16

EN ISO 20345 S1P SRC



VINTAGE BROWN S3 SRC HRO B76.4415

- Closed seat region (fully enclosed heel)
- Energy absorption of seat region
- Plus water penetration and water absorption resistance
- Cleated outsole
- Penetration resistance 1100 Newtons
- Anti-Static, Oil Resistant, Metal free
- Heat Resistant to 300°C
- Composite toecap and midsole

SIZES 3-13

EN ISO 20345 S3 SRC HRO



REFLECTO SAFETY BOOT S3 SRC B76.5402

- Waterproof
- Closed seat region (fully enclosed heel)
- Energy absorption of seat region, plus water penetration and water absorption resistance
- Cleated outsole
- Penetration resistance : 1100 Newtons
- AntiStatic, Oil Resistant and Heat Resistant to 200°C
- Steel toecap and midsole

SIZES 6-13

EN ISO 20345 S3 SRC



STORM SAFETY BOOT S3 SRC B76.5209

- Waterproof
- Closed seat region (fully enclosed heel)
- Energy absorption of seat region, plus water penetration and water absorption resistance
- Cleated outsole
- Penetration resistance : 1100 Newtons
- AntiStatic, Oil Resistant and Heat Resistant to 300°C
- Composite toecap and midsole - Metal free

SIZES 6-13

EN ISO 20345 S3 SRC



E10 / E02 S3 SRC

E10 BOOT: B65.1084
E02 SHOE: B65.1256

- Black nubuck leather upper
- Black pacific textile lining
- Lavoro X-Max antistatic insole unit
- Protective toe cap and midsole
- Double density PU/rubber sole unit

EN20345 S3 HRO ESD SRC

SIZES: 2.5-13



NEW


SKYWALKER S1 P HRO SRC

SKYWALKER: B65.1279

- Black textile upper
- Grey vadiconfort textile lining
- Lavoro X-Max antistatic insole
- Protective composite toe cap and kevlar midsole
- Direct injected PU / rubber sole

EN20345 S1 P HRO SRC

SIZES: 2.5-13



NEW

E16 HONEY S3 HRO SRC

HONEY: B65.1084.36

- Beige nubuck leather upper
- Black pacific textile lining
- Lavoro X-Max antistatic insole
- Protective steel toe cap and kevlar midsole
- Double density PU / rubber sole
- Width 11

EN20345 S3 P HRO SRC

SIZES: 2.5-13



BARCELONA S3 SRC

BARCELONA: B65.1052

- Black robust leather upper for increased durability
- Grey vadiconfort textile lining
- Airpump lavoro insole
- Protective toe cap and midsole
- Direct injected PU / Rubber outer sole
- Ideal for heavy industries

EN20345 S3 HRO SRC

SIZES: 6-12



EXPLORATION LOW S3 SRC

EXPLORATION LOW: B65.1011

- Black full grain leather upper
- Aquatex waterproof inner lining
- Chromium free insole
- Protective steel toe cap and midsole
- Direct injected PU outer sole
- Build for heavy industrial duties

EN20345 S3 SRC

SIZES: 6-13



KENOBI / VADER S3 SRC

KENOBI BOOT: B65.1004

VADER SHOE: B65.1204

- Black full grain leather upper
- Grey vadiconfort textile lining
- Lavoro Arneteck X-Max antistatic insole
- Protective toe cap and midsole
- Direct injected PU / rubber sole

EN20345 S3 HRO ESD SRC

SIZES: 2.5-13




WAVE S3 ESD SRC

WAVE SHOE: B65.1269

- Black laser water resistant upper
- Blue dermondry coolmax lining
- Lavoro X-Max antistatic insole
- Protective toe cap and midsole
- Direct injected PU / TPU sole

EN20345 S3 ESD SRB

SIZES: 6-13





NOT SURE HOW TO CHOOSE THE BEST FOOTWEAR FOR YOUR NEEDS?

Call our team today for some expert advice. We're here to make it easy for you.

01772 691000



JUPITER 1828 S3 CI HRO HI SRC
JUPITER B16.1828

- PU coated leather upper
- Guards against falling objects and collisions
- Ideally suited to building sites and where metal swarf is present on floors
- Wide fitting for extra comfort

EN20345 S3 CI HRO HI SRC

SIZES: 2-15



SOUTHERN CROSS BUMP S3
SOUTHERN CROSS: B22.382360

- 30-day 100% comfort guarantee
- Premium water resistant leather upper
- Low cut scalloped, padded collar
- Baltico lining, a soft and non abrasive material
- Robust scuff cap to increase the longevity
- Strategically placed high-tech Poron pads
- Ortho rebound footbed to reduce foot fatigue

EN20345 S3 SRC

SIZES: 4-13



ARGYLE CLARET S3
ARGYLE: B22.392102

- 30-Day 100% comfort guarantee
- Full grain leather and nubuck leather upper
- Soft padded collar for all day comfort
- Baltico lining, a soft and non abrasive material
- Strategically placed high-tech Poron pads
- Ortho rebound footbed to reduce foot fatigue
- TPU durable outsole

EN20345 S3 SRC

SIZES: 4-14



E-SPORT 1625/1615 S3 CI ESD SRC
E-SPORT 1625 BOOT: B16.1625
E-SPORT 1615 SHOE: B16.1615

- PU coated leather and split leather upper
- Polyester polyamide liner
- Guards against falling objects and collisions
- Protective toe cap and midsole

EN20345 S3 CI ESD SRC

SIZES: 3-12




NEW

WARRAGUL BOOT S3
WARRAGUL: B22.372309

- 30-day 100% comfort guarantee
- Chemical resistant Tectuff durable coated leather
- Stitched with strong heat resistant Kevlar aramid fibre
- Premium water resistant leather upper
- Baltico lining, a soft and non abrasive material
- Robust scuff cap to increase the longevity
- Strategically placed high-tech Poron pads
- Ortho rebound footbed to reduce foot fatigue

EN20345 S3 SRC

SIZES: 4-13



NEW

PARKES ZIP SCUFF BOOT S3
PARKES: B22.392658 (SAND / BLACK SAME CODE)

- 30-day 100% comfort guarantee
- Full grain leather & Nubuck leather, industrial zip
- TPU Outsole heat resistant to 130°C
- Premium water resistant leather upper
- Baltico lining, a soft and non abrasive material
- Robust scuff cap to increase the longevity
- Strategically placed high-tech Poron pads
- Ortho rebound footbed to reduce foot fatigue

EN20345 S3 SRC

SIZES: 4-14 (Half sizes 5.5 and 9.5)



BURGAZ S1P SRC

BURGAZ: B41.3H184J

FOR INDOOR/LIGHTWEIGHT WORK

Completely metal free

SIZES: 6-12

EN20345 S1P SRC

High perspiration and abrasion resistant fabric lining

Soft, lined and padded tongue

Composite toe cap.
Flexible antiperforation composite midsole

Triple-density sole - PU antistatic, resistant to hydrolysis ISO 5423:92, to hydrocarbons, abrasion, anti-shock and anti-slip

Anti-torsion insert in the sole to ensure stability on uneven ground

Extra-comfort removable insole with antibacterial, anatomic, ESD and anti perspiring



K2 S3 CI SRC

K2: B41.3C149E

FOR OUTDOOR WORK

Completely metal free

SIZES: 6-12

EN20345 S3 CI SRC

High perspiration and abrasion resistant fabric lining. Soft, lined and padded tongue

Extracomfort insole with soft latex Memory, no-stress in the heel zone and in the bending point, resistant to the body pressure. Perspiring, removable, anatomic, absorbing, antistatic and antibacterial.

Triple-density sole - PU antistatic, resistant to hydrolysis ISO 5423:92, to hydrocarbons, abrasion, anti-shock and anti-slip

Anti-torsion insert in the sole to ensure stability on uneven ground

High shoe, anti-scratch back leather WRU thickness 1,8-2,0 mm. **RESISTANT TO ABRASION AND SALT**

Reinforced heel for STABILITY and SUPPORT



Cold insulation of sole complex -17°C

TRIVOR S3 SRC

TRIVOR: B41.3C1980

FOR OUTDOOR WORK

Completely metal free

SIZES: 3-12

EN20345 S3 SRC

Extracomfort insole with soft latex Memory, no-stress in the heel zone and in the bending point, resistant to the body pressure. Perspiring, removable, anatomic, absorbing, antistatic and antibacterial.

Composite toe cap.
Flexible antiperforation composite midsole

Triple-density sole - PU antistatic, resistant to hydrolysis ISO 5423:92, to hydrocarbons, abrasion, anti-shock and anti-slip

Anti-torsion insert in the sole to ensure stability on uneven ground

High shoe, MICROWASH **ULTRA LIGHT.** Thickness 1,8-2,0 mm. High perspiration and abrasion resistant fabric lining. Soft, lined and padded tongue



BERG S3 SRC

BERG: B41.3R171R

SIZES: 6-12

EN20345 S3 SRC



Anti-torsion insert in the sole to ensure stability on uneven ground

OROSHI S1P SRC

OROSHI: B41.3R172T

SIZES: 3-12

EN20345 S1P SRC



With relief PU design

SHAMAL S3 SRC

SHAMAL: B41.3R1730

SIZES: 3-12

EN20345 S3 SRC



extra
LIGHT
shoes

FOR INDOOR/LIGHTWEIGHT WORK

Completely metal free

Low shoe, perspiring and abrasion resistant technical fabric and MICROWASH thickness 1,8-2,0 mm. with relief PU design.

Composite toe cap.
Flexible antiperforation composite midsole

High perspiration and abrasion resistant fabric lining. Soft, lined and padded tongue

Triple-density sole - PU antistatic, resistant to hydrolysis ISO 5423:92, to hydrocarbons, abrasion, anti-shock and anti-slip

Anti-torsion insert in the sole to ensure stability on uneven ground

Extracomfort insole with soft latex Memory, no-stress in the heel zone and in the bending point, resistant to the body pressure. Perspiring, removable, anatomic, absorbing, antistatic and antibacterial.





UNBELIEVABLE GRIP



CAIMAN S3 HRO WR SRC

CAIMAN: B20.V1501

- Constructed from advanced modern materials
- Non-leather boot completely Vegan friendly
- Fully waterproof and breathable boot
- Innovative IGS rubber sole unit for superb grip
- Protective toe cap and midsole
- Increased cushioning underfoot

EN20345 S3 HRO WR SRC

SIZES: 5-16



THUNDER BOOT S3 HRO SRC

THUNDER (BLACK): B20.V1215

- Fully waterproof leather upper
- Constructed to a new extreme comfort shape
- Padded tongue and collar for all day comfort
- Robust speed lace system for added efficiency
- Innovative IGS rubber sole unit for superb grip

EN20345 S3 HRO SRC

SIZES: 6-12



BISON / PUMA S3 HRO SRC

BISON (BLACK): B20.VR600

PUMA (TAN): B20.VR602

- Black: polished full grain leather. Tan: Nubuck
- Cut away scoop collar - Added comfort
- Lightweight, metal free and non-snagging eyelets
- Improved shock absorbing foot bed
- Innovative IGS rubber sole unit for superb grip

EN20345 S3 HRO SRC

SIZES: 3-13



TIGER S3 HRO SRC

TIGER: B20.VR608

- Classic uniform shoe with safety protection
- Full grain cowhide leather outer
- Soft padded tongue for unparalleled comfort
- Protective toe cap and midsole
- Heat resistant sole tested to 300 degrees

EN20345 S3 HRO SRC

SIZES: 3-13



RAWHIDE BOOT SBP HRO SRA

RAWHIDE: B20.V1231

- Rugged oil stuffed hide
- One of the strongest elastic-sided work boots
- Protective steel toe cap and midsole
- Durable, water resistant and breathable
- Heat resistant sole tested to 300 degrees

EN20345 SBP HRO SRA

SIZES: 6-13





TITANIUM S3 HI CI WR HRO SRC
TITANIUM: B15.RF4500

- One of the lightest, most robust high leg boots
- Activ-Tex membrane - highly waterproof
- Advanced scuff cap and toe cap technology
- Internal digging plate for reinforced midsole
- Ultra tough abrasion resistant thread

EN20345 S3 HI CI WR HRO SRC

SIZES: 3-14



DENVER S3 HI WR HRO SRC
DENVER: B15.TC1070

- Premium waxy full grain leather upper
- Cambrelle Comfort lining
- Activ-Tex membrane - highly waterproof
- Advanced scuff cap and toe cap technology
- Internal digging plate for reinforced midsole
- Protective toe cap and midsole

EN20345 S3 HI CI WR HRO SRC

SIZES: 6-13



SLATE S3 WR HRO SRC
SLATE: B15.RF460

- Water repellent full grain black leather
- Activ-Tex membrane - highly waterproof
- Superior anti-fatigue footbed for all day comfort
- 100% metal free footwear
- Protective toe cap and midsole
- Wide fitting for added comfort

EN20345 S3 WR HRO SRC

SIZES: 3-15



TESLADRI S3 ESD SRC

TESLADRI BOOT: B15.RF120

- Water resistant Sympatex Climate upper and lining
- Ortholite premium quality insoles
- Injection moulded scuff cap for extra protection
- Suitable for Vegetarians, Vegans and wearers allergic to chrome
- Protective toe cap and midsole

EN20345 S3 ESD SRC

SIZES: 6-13



FARADRI S3 ESD SRC

FARADRI SHOE: B15.RF008

- Water resistant Sympatex Climate upper and lining
- Ortholite premium quality insoles
- Injection moulded scuff cap for extra protection
- Suitable for Vegetarians, Vegans and wearers allergic to Chrome
- Protective toe cap and midsole

EN20345 S3 ESD SRC

SIZES: 6-13



ORLANDO S3 SRA

ORLANDO: B15.TC35

- Sport styled safety boot
- Honey waxy full grain leather upper
- 3D mesh lining for increased breathability.
- Supportive foam padded collar for added comfort
- Shock absorbing EVA footbed
- Protection toe cap and midsole

EN20345 S3 SRA

SIZES: 6-12



**NEW, STYLISH
AND MEETS ALL
THE REGS**

NEW

SURGE BOOT SRC

SURGE: B15.RF910

- 100% non-metallic, protective toecap and midsole
- Specialist durability materials that are certified to withstand electrical risks of 18kV
- Activ-Tex® waterproof membrane and Activ-Step® PU anti-fatigue comfort footbed
- Disclaimer: This footwear is Electrical Hazard and tested in accordance with the test method as set out within ASTM F2412-18. This protection deteriorates rapidly in humid, damp and wet environments and with wear. Electrical Hazard (EH) Safety footwear is intended as secondary source protection equipment.

**EN20345 SB P E WRU FO CI HRO WR SRC +
ASTM F 2413-18 M/I/C EH PR**

SIZES: 3-16



RED LION

INFINERGY TECHNOLOGY:

- GREAT FLEXIBILITY
- HIGH RESILIENCE
- FLEXIBILITY AND LIGHTNESS
- LOW DENSITY
- HIGH TENSILE STRENGTH
- HIGH IMPERMEABILITY



LIFT S3 SRC
LIFT BOOT: B60.8765

- Soft nubuck water resistant leather upper
- WingTex air tunnel lining - maximum breathability
- Polysoft, anatomic footbed, breathable and antibacterial
- Airtoe aluminium with breathable membrane
- Soft E-TPU Infinergy foam sole

EN20345 S3 SRC
SIZES: 3-13



TORNESS BOOT S1-P HRO SRC
TORNESS BOOT: B05.DM003

- Durable industrial grade leather
- Padded tongue and collar
- Two hiker hooks providing firmer grip
- Breathable memory foam sock liner providing extra cushioning
- Contoured SoftWair footbed
- Dual density EVA / rubber sole

EN20345 S1-P HRO SRC
SIZES: 3-13



CALVERT SHOE S1-P HRO SRC
CALVERT SHOE: B05.DM004

- Durable industrial grade leather
- Padded tongue and collar
- Two hiker hooks providing firmer grip
- Breathable memory foam sock liner providing extra cushioning
- Contoured SoftWair footbed
- Dual density EVA / rubber sole

EN20345 S1-P HRO SRC
SIZES: 3-13



REAL / TUDOR S1-P SRC
REAL BOOT: B60.8780
TUDOR SHOE: B60.8785

- Soft suede leather with textile inserts
- WingTex air tunnel textile lining
- Steel toe cap and midsole
- Flat fit, removable anatomical footbed
- Hard wearing heat resistant sole

EN20345 S1-P SRC
SIZES: 2-12



REPTILE / TONGUE S3 SRC
REPTILE BOOT: B60.8790
TONGUE SHOE: B60.8795

- Water resistant black leather upper
- WingTex air tunnel lining
- Steel toe cap and midsole
- Flat fit, removable anatomical footbed
- Natural Comfort 11 mondopoint fit
- Hard wearing, heat resistant sole

EN20345 S3 SRC
SIZES: 2-13



ICON BOOT SB SRC
ICON BOOT: B05.DM001

- Industrial grade leather
- Hard wearing air-cushioned sole unit
- Steel toe cap exceeding EU standards
- Heavy duty metal eyelets and industrial strength cord laces
- Heat seal then stitched for extra strength

EN20345 SB SRA
SIZES: 3-12



ICON SHOE SB SRA
ICON SHOE: B05.DM002

- Industrial grade leather
- PU cushioned footbed and padded collar
- Contoured and cushioned removable footbed
- Safety toe cap exceeding EU standards
- Heavy duty metal eyelets and industrial strength cord laces.

EN20345 SB SRA
SIZES: 3-13





HYDRADIG / CAGELOW S1-P SRC

HYDRADIG BOOT: B75.2205
CAGELOW SHOW: B75.2200

- Grey mesh and black KPU upper
- Padded tongue for all day comfort
- Grey breathable mesh lining
- TPU protection to the heel and toe
- Protective toe cap and midsole
- Dual EVA/rubber outer sole until

EN20345 S1-P SRC

SIZES: 3-12



4CX HIKER S1-P SRC

4CX (BLACK): B75.4400

- Cow nubuck leather upper
- Black PU padded collar and suede tongue
- Contract mesh lining
- Black round lace with antique fastening
- JCB heat emboss to tongue and side of heel
- White PU / black PU outsole

EN20345 S1 SRC

SIZES: 6-12



FAST TRACK S3 WR SRA

FAST TRACK (BLACK): B75.3300
FAST TRACK (TAN): B75.3305

- Waterproof full grain leather upper
- Waterproof and breathable lining
- Padded tongue and collar for all day comfort
- Reinforced heel
- Dual density EVA/rubber sole
- Wide fit for extra comfort

EN20345 S3 WR SRA

SIZES: 6-13



APACHE POLARIS S3 WR SRC

POLARIS: B18.POLARIS

- Leather waterproof safety hiker
- Deep padded tongue and collar for all day comfort
- Comfort foot bed insoles
- Steel toe cap and steel midsole protection
- Waterproof and breathable inner lining
- Dual density polyurethane outsole

EN20345 S3 WR SRC

SIZES: 3-13



HIKER TAN BOOT S3 SRA

HIKER WHEAT: B18.AP314

- Full grain nubuck upper
- Deep padded tongue and collar for all day comfort
- Comfort foot bed insoles
- Lightweight, non-snagging eyelets
- Protective toe cap and midsole
- Lightweight pylon/rubber sole unit

EN20345 S3 SRA

SIZES: 6-12



HIKER BROWN BOOT S3 SRA

HIKER BROWN: B18.AP315

- Full grain nubuck upper
- Deep padded tongue and collar for all day comfort
- Comfort foot bed insoles
- Lightweight, non-snagging eyelets
- Protective toe cap and midsole
- Lightweight pylon/rubber sole unit

EN20345 S3 SRA

SIZES: 6-12






ECOS TRAINER S1-P SRC

ECOS TRAINER: B50.ST300

- Leather upper
- Fully moulded and removable insole
- Shock absorbing soft heel
- Protective toe cap and midsole
- Dual density PU sole
- Wide fitting for all day comfort

EN20345 S1-P SRC
SIZES: 3-13




ECOS HIKER S3 SRC

HIKER: B50.ST250

- Water resistant leather upper
- Full footbed
- Shock absorbing soft heel
- Scuff cap for enhanced durability
- Protective toe cap and midsole
- Dual density PU sole
- Wide fitting for all day comfort

EN20345 S3 SRC
SIZES: 3-13



TIE S1-P

TIE: B13.4601

- Budget priced footwear
- Leather upper
- Protective toe cap and midsole
- Dual density PU sole

EN20345 S1-P SRC
SIZES: 3-13



SAFETY SHOE S3 SRC

SHOE: B50.ST230

- Smooth leather upper
- Padded collar for extra comfort
- Wide fitting

EN20345 S3 SRC
SIZES: 3-13



CHUKKA S1-SRC

CHUKKA: B13.7701

- Budget priced footwear
- Moisture wicking textile lining
- Protective toe cap and midsole
- Soft density footbed

EN20345 S1-P SRC
SIZES: 2-15



RIVA HIGH / LOW S3 SRC

RIVA HIGH BOOT: B48.PB250
RIVA LOW SHOE: B48.PB249

- Full grain breathable leather upper
- Padded collar for all day comfort
- Bellows tongue to prevent dirt getting in
- Abrasion resistant, moisture wicking lining
- Breathable memory foam footbed
- Lightweight PU parabolic outer sole

EN20345 S3 SRC
SIZES: 3-13



BILDER S3 CI AN SRC

B48.PB59C

- Full grain leather with reflective piping
- Ankle protection pads on both sides
- Bellows tongue to prevent dirt getting in
- Micro-porous textile lining for dryer feet
- Breathable memory foam footbed
- Scuff cap and abrasion resistant heel
- Lightweight PU parabolic outer sole
- Duo protection midsole, steel midsole and textile midsole for extra protection

EN20345 S3 CI AN SRC
SIZES: 5-13



GRAVITY ZERO / FIVE S1-P SRA

GRAVITY ZERO GREN: B48.PM200
GRAVITY FIVE GREY: B48.PM220

- Extremely lightweight safety footwear
- Dry-Tech, 3D breathable fabric upper
- Ultra breathable polyamide lining
- Moisture wicking, breathable washable insole
- Protective toe cap and midsole
- Lightweight Vibram EVA/rubber sole unit

EN20345 S1-P SRA
SIZES: 6-12





TEXAS S3 HI CI WE HRO SRC
TEXAS: B15.RF70

- Oil tanned brown leather rigger
- Activ-Tex membrane - highly waterproof
- Impact shield internal digging plate
- Advanced scuff cap and toe cap technology
- Enhanced cold insulation system

EN20345 S3 HI CI WR HRO SRC
SIZES: 3-14



FUR LINED RIGGER S1-P SRC
FUR LINED: B13.7488

- Apollo soft leather upper
- Acrylic fur lined for extra warmth and comfort
- Shock absorbing heel
- Dual density PU outer sole
- Protective toe cap and midsole


EN20345 S1-P SRC
SIZES: 4-13



LINED RIGGER S3
LINED RIGGER: B48.PB42LC

- Breathable full grain leather upper
- Synthetic fur lining for extra warmth and comfort
- Moisture wicking breathable, washable footbed
- Protective toe cap and midsole
- Dual density PU/PU sole unit

EN20345 S3 SRC
SIZES: 5-13



NEED ADVICE?

Have a chat with one of our professional team today. We're here to guide you through the realm of foot protection options and make the choice simple and straightforward for YOU:

Call us on: 01772 691000



COLD STORE PROTECTION



MANITOBA FREEZER BOOT S3 HI CI HRO SRC
MANITOBA: B15.RF040

- Full grain anti-cracking leather
- Injection moulded cuff cap for extra durability
- Quick release extreme side zip
- Certified to -40 degrees

EN20345 S3 HI CI HRO SRC
SIZES: 5-13



BRAGI FREEZER BOOT S3 CI HRO SRC
BRAGI: B40.4000

- Water repellent printed leather upper
- Ecological fur lining. Thinsulate lining
- Internal side zip
- Cold defender PU / nitrile sole

EN20345 S3 CI HRO SRC
SIZES: 6-12



FOUNDRY & WELDING PROTECTION

SPARK/VULCAN S3 HI CI GRO SRC FE
SPARK(LOW): B15.RF5000
VULCAN (HIGH): B15.RF7000



- Developed with specialist durable materials, certified to withstand molten splashes
- Flame retardant black buffalo grain leather
- Premium enhanced comfort foot bed
- Sturdy collar strap for additional fit
- Welding boot certified, foundry boot approved
- Spark: EN20345 S3 HI CI HRO SRC Wg
- Vulcan: EN20345 S3 HI CI HRO SRC Fe

SIZES: Spark: 3-14, Vulcan 5-14



CHEMICAL PROTECTION



ETHYL CHEMICAL BOOT S3 SRC
ETHYL: B40.6350

- Water repellent Ecolorica upper
- Sany-Dry 100% polyester fabric
- Evanit footbed - EVA and nitrile compound
- Slip resistant dual density polyurethane sole

EN20345 S3 SRC

SIZES: 5-12



WELDING PROTECTION



WELDER BIS S3 HI CI HRO SRC
WELDER BOOT: B01.3430

- Water repellent printed leather upper
- Breathable synthetic external lining
- Texelle 100% polyamide fabric lining
- Evanit footbed, EVA and nitrile
- Heat defender PU/nitrile rubber sole unit
- Protective toe cap and midsole

EN20345 BIS S3 HI CI HRO SRC

SIZES: 6-13



ELECTRICAL HAZARD PROTECTION



POWER SB P CI E FO WRU HRO WR SRC
POWER: B15.RF900

- Water repellent full grain leather upper
- Waterproof and breathable bootie lining
- Advanced scuff cap and toe cap technology
- Impact Shield shock reducing digging plate

EN20345 SB P CI E FO WRU HRO WR SRC

SIZES: 5-13



METATARSAL PROTECTION



ARGYE S3 M SRC

ARGYLE MET BOOT: B22.392802

- Premium water resistant leather
- Baltico soft, non-abrasive, wicking lining
- Padded collar for extra comfort
- Strategically placed high-tech Poron pads
- Superior impact protection to the metatarsal region

EN20345 S3 M SRC

SIZES: 4-13



WHYALLA S3 M SRC

WHYALLA MET BOOT: B22.362808

- Premium water resistant leather
- Baltico soft, non-abrasive, wicking lining
- Padded tongue for extra comfort
- Strategically placed high-tech Poron pads
- Ortho Rebound footbed
- Durable TPU outer sole

EN20345 S3 M SRC

SIZES: 3-14



LINCOLN S2 WR M HRO SRC

LINCOLN MET BOOT: B50.CF11

- Waterproof leather upper
- Fully moulded removable insole
- Poron XRD metatarsal tech
- Metal free toe cap and midsole
- PU/rubber sole unit
- Heat resistant sole to 300 degrees
- Lightweight

EN20345 S3 WR M HRO SRC

SIZES: 4-12





SILT WELLINGTON S5 CI HRO SRC
SILT: B15.RF290

- Highly robust Wellington boots
- 5mm neoprene upper with enhanced thermal properties
- Moisture wicking, breathable mesh lining
- Activ-step comfort footbed for extra comfort
- Protective toe cap and midsole
- 100% metal free wellingtons
- Force10 outer soles offering incredible abrasion and heat resistance

EN20345 S5 CI HRO SRC

SIZES: 3-13



FOOD SAFE S4 SRC
FOOD SAFE: B08.171

- Tough PVC wellington boot
- White PVC/nitrile sole unit
- Features a kick-off spur
- Safe for the food industry
- Protective toe cap
- Fully waterproof

EN20345 S4 SRC

SIZES: 4-12




PROMASTER SBE FO SRA
PROMASTER: B08.171BV

- PVC/nitrile outer
- 100% waterproof wellington
- Resistant to various chemicals
- Protective toe cap
- Resists: minerals, animal/plant oils and fats, blood, etc.

EN20345 SBE FO SRA

SIZES: 3-13



MIDSOLE WELLIE S5
MIDSOLE: B08.151

- Split and crack resistant outer
- Made with an exclusive PVC compound superior to previous
- Designed with ankle support
- Mud resistant outsole
- Fully waterproof

EN20345 S5

SIZES: 3-13



PROMASTER FULL S5
PROMASTER FULL: B08.142VP

- Tough PVC/nitrile outer
- 100% waterproof wellington
- Resistant to various chemicals
- Protective toe cap
- Cold insulating

EN20345 S5 SRA

SIZES: 3-13



FORTIS S4 SRC

FORTIS (RED): B12.0538
FORTIS (WHITE): B12.0533
FORTIS (BLACK): B12.0537
FORTIS (GREEN): B12.0534
FORTIS (YELLOW): B12.0535
FORTIS (BLUE): B12.0536

- Cold resistant to -30 degrees
- Thick wall structure and improved ankle support
- Removable foot bed insole and toe cap
- Resistant to animal fats and oils
- Single density polyurethane sole

EN20345 S4 SRA

SIZES: 3-14



ECLYPSE S4 SRC
ECLYPSE: B09.500

- PVC ergo-nitrile upper and sole
- Abrasion resistant polyester lining
- EVA and nitrile high bearing footbed
- Kick-off-lug

EN20345 S4 SRC

SIZES: 3-13





THAMES WADER S5

THAMES: B11.0163

- Designed for warmth and dryness
- PVC/nitrile composition
- Welded seams
- Easy adjust clip fastened braces
- Reinforced toe design
- Protective toe cap and midsole

EN20345 S5

SIZES: 6-12



AVON WADER S5

AVON: B11.1881

- Designed for warmth and dryness
- PVC/nitrile composition
- Welded seams
- Quick release strap
- Belt attachment strap
- Reinforced ankle and toe design
- Protective toe cap and midsole

EN20345 S5

SIZES: 6-12



NERONE S1 SRC

NERONE: B13.8917

- Breathable Microtech upper
- Texelle 100% polymade fabric lining
- Evanit footbed, made out of EVA and nitrile
- Slip resistant single-density ultralight sole
- Ideal for food industry and hospital services

EN20345 S1 SRC

SIZES: 2-13



ULISSE WHITE S2 SRC

ULISE: B13.4193

- Water repellent breathable NEWTECH upper
- Breathable synthetic lining
- Perfumed sole
- Hard wearing PU non-slip sole for durability
- Protective steel toe cap for protection

EN20345 S2 SRC

SIZES: 2-13



HYGIENE TIE S2 SRC

HYGIENE TIE: B13.4190

- Lace up plain front shoe
- Microfibre synthetic leather upper
- Padded tongue and collar for all day comfort
- Protective toe cap
- Mono density sole unit
- Ideal for food industry

EN20345 S2 SRC

SIZES: 3-13



HYGIENE SLIPON S2 SRC

SLIPON (WHITE): B13.4191
SLIPON (BLACK): B13.4192

- Casual slip on plain front slip on
- Microfibre synthetic leather upper
- Padded collar for extra comfort
- Protective toe cap
- Shock absorbing dual density polyurethane sole unit

EN20345 S2 SRC

SIZES: 2-13



HYGIENE BOOT S2 SRC

HYGIENE BOOT: B13.4194

- Casual slip on hygiene boot
- Microfibre synthetic leather upper
- Padded collar for extra comfort
- Protective toe cap
- Shock absorbing dual density polyurethane sole unit
- Ideal for food industry

EN20345 S2 SRC

SIZES: 3-13



EXECUTIVE



uvex

BUSINESS LACE UP BOOT S3 SRC
B04.84272

- Lace-up ultra lightweight and flexible safety boots
- Safety boots meet the ESD specifications with leakage resistance under 35 megaohms
- Breathable micro velour upper material
- Robust steel toe cap and penetration-resistant, metal-free uvex xenova® midsole
- Available in width 10, 11 or 12

EN20345 S3 SRC
SIZES: 6-15



uvex

BUSINESS LACE UP SHOE S3 SRC
B04.84282

- Lace-up ultra lightweight and flexible safety boots
- Safety shoes meet the ESD specifications with leakage resistance under 35 megaohms
- Breathable micro velour upper material
- Robust steel toe cap and penetration-resistant, metal-free uvex xenova® midsole
- Available in width 10, 11 or 12

EN20345 S3 SRC
SIZES: 6-15



MANAGER SLIPON S1P
SLIPON: B13.8914

- Black smooth leather upper
- Padded collar for all day comfort
- Moisture wicking inner lining
- Protective toe cap and midsole
- Dual density polyurethane sole

EN20345 S1-P SRC
SIZES: 6-12



MANAGER APRON S1P
APRON: B13.8911

- Black smooth leather upper
- Padded collar for all day comfort
- Moisture wicking inner lining
- Protective toe cap and midsole
- Dual density polyurethane sole

EN20345 S1-P SRC
SIZES: 6-12



CAMBRIDGE S3 SRC
CAMBRIDGE: B20.VC101

- Executive oxford office footwear
- Black aniline leather upper
- Grey aniline leather lining
- Direct injected PU sole
- Protective toe cap and midsole

EN20345 S3 SRC
SIZES: 6-12



OXFORD S3 SRC
OXFORD: B20.VC100

- Executive brogue office footwear
- Black aniline leather upper
- Grey aniline leather lining
- Direct injected PU sole
- Protective toe cap and midsole

EN20345 S3 SRC
SIZES: 6-12



MANAGER OXFORD S1P
OXFORD: B13.8913

- Black smooth leather upper
- Padded collar for all day comfort
- Moisture wicking inner lining
- Protective toe cap and midsole
- Dual density polyurethane sole

EN20345 S1-P SRC
SIZES: 5-12



MANAGER BROGUE S1P
BROGUE: B13.8910

- Black smooth leather upper
- Padded collar for all day comfort
- Moisture wicking inner lining
- Protective toe cap and midsole
- Dual density polyurethane sole

EN20345 S1-P SRC
SIZES: 6-12



ACCESSORIES

Insoles, Laces, Overshoe Protectors,
Socks, Icegrips



SPODOS LOW ARCH
FLAT FEET: B25.9995

- 100% breathable and washable
- Extra light weight
- High capacity of memory
- Different areas of density
- Made with recycled materials
- Highly abrasion resistant

SIZES: 3-12



SPODOS MEDIUM ARCH
FLAT FEET: B25.9996

- 100% breathable and washable
- Extra light weight
- High capacity of memory
- Different areas of density
- Made with recycled materials
- Highly abrasion resistant

SIZES: 3-12



SPODOS HIGH ARCH
FLAT FEET: B25.9997

- 100% breathable and washable
- Extra light weight
- High capacity of memory
- Different areas of density
- Made with recycled materials
- Highly abrasion resistant

SIZES: 3-12



JALAS HIGH ARCH SUPPORT
HIGH ARCH: B25.8709H

- Polyester based electro conductive thread
- Double shock absorption zones in PORON XRD
- High heel arch support
- Anatomically designed
- Perfect fit and extra comfortable
- Breathable

SIZES: 2-15



JALAS MEDIUM ARCH SUPPORT
MEDIUM ARCH: B25.8710M

- Polyester based electro conductive thread
- Double shock absorption zones in PORON XRD
- Medium heel arch support
- Anatomically designed
- Perfect fit and extra comfortable
- Breathable


SIZES: 2-15



JALAS LOW ARCH SUPPORT
LOW ARCH: B25.8711L

- Polyester based electro conductive thread
- Double shock absorption zones
- Low heel arch support
- Anatomically designed
- Perfect fit and extra comfortable
- Breathable

SIZES: 2-15





VISITOR OVERSHOES
CAP OVERSHOES: B25.FA4

- Ultra-light aluminium/titanium toe cap
- Anti-slip sole unit
- Colour coded cap to identify the size
- Velcro strap to fit all footwear styles

EN20345

SIZES: S-XL



TOTAL PROTECT PLUS
TOTAL PROTECT PLUS OVERSHOES: B25.FA3

- Ultra-light aluminium/titanium toe cap
- Anti-slip sole unit with outstanding grip
- Colour coded cap to identify the size
- Adjustable anti-perforation system

EN20345

SIZES: S-XL



ENDURA-SOC
ENDURA: C30.ESOK6

- Navy cotton calf length socks
- Designed with loop pile cushioning to extra comfort
- Our most popular, durable sock
- Features a no-rub invisible toe seam to increase comfort

SIZES: M-2XL



COOLMAX
COOLMAX: C30.SK12

- Black / grey calf length socks
- Ideal to wear with safety boots
- 50% cotton, 30% coolmax, 20% nylon
- Designed to keep feet warm and protected during the day

SIZES: 6-11



THERMAL
THERMAL: C30.416

- Black calf length socks
- Thermal knitted for extra warmth
- Extra warm quality
- 80% acrylic, 20% mixed fibres
- Ideal to wear with safety footwear in the workplace

SIZES: One size



MUKGUARD
MUKGUARD B25.V1503

- The all new, innovative, reusable overshoe
- Keeps floors protected from dirty boots and shoes
- Offer excellent grip as well as abrasion resistance
- Integral pull loop so it's east to get on and off
- Carabiner ensure the MukGuard remains paired
- Though your footwear is dirty, you can enter without removing footwear
- Can be washed in machine on 30 degrees

SIZES: M-XL



STERILIZER
STERILIZER: B25.07118

- High quality solvent based aerosol combining disinfecting and air freshening properties.
- Bactericide destroys odour producing bacteria
- Rapid evaporation for quick dry
- Pleasant perfume freshness



LACES
LACES (BOOT): B25.07111
LACES (SHOE): B25.07110

- Shoe lace: 75cm
- Boot lace: 120cm
- Chunky lace cord
- One size only
- Available in black, brown, navy and white



ICE GRABBER
ICE GRABBER: B25.FC94

- Made using rubber
- Easy all around solution for grip
- Rear steel spikes provide ultimate grip
- Able to grip on any shoe or boot
- Sizes: Large: UK 6-9 / XLarge: UK 10+

SIZES: L-XL



METATARSAL GEL INSOLE
GEL INSOLE: B25.07115

- Offers superb foot protection
- Soft gel insert in the metatarsal area guarantees stability and comfort on any surface
- Manufactured from soft PU with Gel
- Anatomically shaped to suit any foot type

SIZES: 3-13

SLATER SAFETY'S COMPLETE RANGE

OUR SERVICES INCLUDE:



PPE HEALTH CHECK:

Our experienced consultants will independently advise on the correct use and management of PPE, throughout your entire site, to ensure your liabilities are minimised.



PPE VENDING:

Slater Safety are proud to be able to offer our valuable clients PPE vending. By using PPE vending your team will have 24/7 access to product and you are guaranteed to see a 20-40% usage reduction.



NOISE ASSESSMENT:

Slater Safety offer a noise exposure survey, which monitors level of noise for a single machine, factory, warehouse or workplace. Monitoring sounds will help your company decide what PPE needs to be used.



FOOTSTOPSERVICE:

Our FSS foot scanner prevents injuries that can arise if the foot is abnormally strained. In just a few seconds the scanner detects the dimensions of your feet, the arch and the pressure profile of your foot.



BESPOKE ONLINE SOLUTION:

Manpack: This allows employees and managers to place orders for clothing from a pre-selected range and receive goods ready packed per employee for easy distribution. Garment selection can vary for different departments across your business.

Trade: This is our web based wholesale ordering module. This can be used by account customers or trade agents. This allows you to order from garments online at your special price.

StockRoom: Allows sites to hold a set of stock items in-house. Perfect for companies working with shifts.

PPE RANGE INCLUDES:



ANTI STATIC



CHEMICAL



CORPORATE



CUT RESISTANT



EARWEAR



EYEWEAR



FALL ARREST



FLAME RETARDANT



FOOD TRADE



HEADWEAR



HI-VISABILITY



RAIL SPEC



RESPIRATORY



SERVICE ARC



THERMAL



WATERPROOF

SAFETY RANGE INCLUDES:



FIRE SAFETY



FIRST AID



HYGIENE



WIPING

RETURNS POLICY

1. We are unable to accept goods returned without an authorised returns number.
2. A returns form issued by Slater Safety must be completed in full, clearly stating the reason for return.
3. Goods returned for full credit must be in re-saleable condition and in the original packaging. No goods which have been worn, marked or used in any way will be considered for credit.
4. Goods returned and considered faulty must be in a condition that will allow examination i.e. clean and free from contaminants. The reason for return must be stated on the returns form.
5. It is a legal requirement that medical, aviation, breathing apparatus and respiratory products must have a decontamination certificate stating that the returned products are free from any human, animal, chemical and biological contamination.
6. Only chemicals recommended in the manufacturers instructions or manual should be used in the cleaning of goods prior to returning.
7. Where goods are returned without good reason, Slater Safety reserves the right not to credit or to impose a 30% restocking charge.
8. Goods supplied as a special order or, if they have been marked with a company logo, cannot be returned, unless it can be clearly demonstrated to be a Slater Safety error.

If you have any queries please feel free to get in touch: 01772 691000



MEET THE TEAM

OUR BUSINESS DEVELOPMENT MANAGERS
AND IN-HOUSE SUPPORT TEAM:



JON SLATER
Managing Director



DAMON ARNOLD
Head of Sales



IAIN DUNBAR
Business Development
Manager



TRACEY HAYDOCK
Business Development
Manager



LOUISE WHITE
In-House support for
Jon Slater



NICOLA HARRISON
In-House support for
Damon Arnold



MITCHELL HARRISON
In-House support for
Iain Dunbar



CLIFF HAYES
In-House support for
Tracey Haydock



JACKIE SLATER
Customer Service
Expert

THANK YOU

We look forward to working with you

**SMART SOLUTIONS
POWERFUL PROTECTION**

SLATER
S A F E T Y

238 Woodplumpton Road, Woodplumpton, Preston, PR4 0TA
T: 01772 691000 | E: Sales@slatersafety.co.uk
W: www.slatersafety.co.uk